

Rule 1.1126

RECEIVED - 03402260

⁹¹
~~13~~. A method for forming a low dielectric constant insulative structure disposed between a pair of conductive lines comprising:
providing the pair of conductive lines over a substrate, the conductive lines each having an upper surface;
forming a mass of a material over the substrate, the mass disposed over and between the pair of conductive lines;
planarizing the mass to a level about equal to the upper surfaces of the pair of conductive lines;
depositing a layer of insulative material; and
vaporizing at least a portion of the mass disposed between the conductive lines to form the low dielectric constant insulative structure therebetween, the structure comprising at least one void.

⁹⁸ ⁹¹
~~14~~. The method of Claim ~~13~~ wherein forming a mass comprises providing a material comprising a mixture of a first material substantially vaporizable in an oxidizing atmosphere and a second material substantially not vaporizable in an oxidizing atmosphere.

⁹⁹ ⁹⁸
~~15~~. The method of Claim ~~14~~ wherein providing a material comprising a mixture comprises providing a mixture of a carbon comprising material and a silicon oxide material.

100

98

116. The method of Claim 114 wherein providing a material comprising a mixture comprises providing a mixture of carbon and SiC_x , where "x" is a number between about 0.2 and 1.5.

101

97

117. The method of Claim 113 wherein forming a mass of material comprises forming the mass by plasma decomposition of a hydrocarbon or halogen substituted hydrocarbon.

102

101

118. The method of Claim 117 wherein forming the mass by plasma decomposition comprises forming a porous carbon mass.

103

97

119. The method of Claim 113 wherein depositing a layer of an insulative material comprises depositing the layer prior to vaporizing the mass.

104

97

120. The method of Claim 113 wherein forming a layer of an insulative material comprises forming a silicon oxide layer having a thickness of about 500 Angstroms.

105

104

121. The method of Claim 120 wherein forming a silicon oxide layer comprises forming the layer by sputter deposition of silicon dioxide.

106

97

122. The method of Claim 113 wherein forming a layer of an insulative material comprises forming the layer after vaporizing the mass.

Rule 112412

1002250 094022863

Rule 1.126
A2

107

97

123. The method of Claim ~~113~~ 97 wher in forming a mass of material comprises forming the mass of a material comprising about 20% to about 80% SiC_x , where "x" is a number from about 0.2 to about 1.5.

FORWARDED BY AIR